

Waterproofing Specification

Project Name _____

Contact _____

1. Waterproofing Membranes Standards

Waterproofing material shall comply with the following standards: AS3740 and local regulations.

2. Guarantee

The waterproofing membrane manufacturer to provide a written guarantee for the whole of the waterproofing work against failure due to defective material for a period of ten (10) years after the date of final completion.

3. Surface Preparation

3.1 The surface to be waterproofed must be free of grease, oil, dust and other contaminants.

The surface to be waterproofed must be primed **internally** with **Primebond**, made by **Construction Chemicals**.

The surface to be waterproofed must be primed **externally** with **Primax**, made by **Construction Chemicals**.

3.2 All waterproofing to be carried out shall be installed by an applicator approved by the manufacturer to obtain a ten (10) year product guarantee.

3.3 Any deviation from the materials specified in this schedule must be approved by the Architect in writing only.

4. Schedule

4.1 Internally _____

Provide and install in all areas to be waterproofed _____ waterproofing membrane, manufactured by **Construction Chemicals**, strictly in accordance with the manufacturer's written instructions.

All areas in which the waterproofing membrane is installed shall be water tested 24 hours prior to the laying of the bed over the finished membrane. The membrane must be allowed to cure for 24 hours prior to water testing.

4.2 Externally _____

Provide and install in all external locations _____ waterproofing membrane, manufactured by **Construction Chemicals**, strictly in accordance with the manufacturer's written instructions.

4.3 Waterproofing membrane must be allowed to cure for a minimum of 24 hours prior to fixing tiles or a screed bed over the finished membrane.

Ceramic tile adhesives and grouts, waterproofing and repair products

info@constructionchemicals.com.au
www.constructionchemicals.com.au

Adelaide

49-57 Davis St
Wingfield SA 5013
Phone (08) 8243 7888
Fax (08) 8243 7800

Brisbane

45 Coulson St
Wacol QLD 4076
Phone (07) 3271 2944
Fax (07) 3271 3892

Melbourne

11 Gabrielle Ct
Bayswater North VIC 3153
Phone (03) 9761 4711
Fax (03) 9761 4748

Perth

11 Collie St
Welshpool WA 6106
Phone (08) 9356 9999
Fax (08) 9356 9955

Sydney

31-33 Newton Rd
Wetherill Park NSW 2164
Phone (02) 9756 3533
Fax (02) 9756 3534

Auckland

16 Carpenter Rd
East Tamaki
Phone (09) 273 5444
Fax (09) 273 5442

Kuala Lumpur

Lot 2 Jalan Kecapi
33/2 Elite Industrial Estate
Off Jalan Bukit Kemuning
40400 Shah Alam
Phone (603) 5122 2522
Fax (603) 5122 2526



Waterproofing Selection Guide

WATER-BASED POLYURETHANE		ONE-PACK ACRYLIC		TWO-PACK ACRYLIC	WATERPROOFING
HYDRATHANE	FLEXIBLE SEALER	LIQUID FLASH 1	LIQUID FLASH 2		
			●	●	Swimming pools - tanks <small>Under screed or tiles</small>
●	●	●	●	●	Basement - retaining walls
●			●	●	Same day tiling - wet areas, showers, bathrooms
●	●	●	●	●	Wet areas, showers, laundries, bathrooms
	●	●			Gutters
●	●	●	●	●	Roofs - balconies <small>Under screed or tiles</small>
TECHNICAL INSTRUCTION SHEET					
●	●	●	●	●	Shower waterproofing system
●	●	●	●	●	Wet area waterproofing system
●			●	●	Fast cure wet area waterproofing
●	●	●	●	●	Waterproofing balconies, rooftops and planter boxes <small>Under screed or tiles</small>
●	●	●	●	●	Waterproofing basement walls

Project Specification

Site

Address

Builder

Architect

Fixing Contractor

PATCHING AND LEVELLING

<input type="checkbox"/> Kitchen	<input type="checkbox"/> Living area	<input type="checkbox"/> Bedroom	<input type="checkbox"/>
<input type="checkbox"/> Level Floor Standard	<input type="checkbox"/> Level Floor Tuff	<input type="checkbox"/> Level Floor V15	<input type="checkbox"/> Feather Floor
<input type="checkbox"/> Rapid Set 45	<input type="checkbox"/>	Area - units no. / rooms / m ²	<input type="text"/>

WATERPROOFING MEMBRANES

<input type="checkbox"/> Shower alcove	<input type="checkbox"/> Bathroom	<input type="checkbox"/> Laundry	<input type="checkbox"/> Deck
<input type="checkbox"/> Balcony	<input type="checkbox"/> Swimming pool	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Flexible Sealer	<input type="checkbox"/> Liquid Flash 1	<input type="checkbox"/> Liquid Flash 2	<input type="checkbox"/> Hydrathane
<input type="checkbox"/>	<input type="checkbox"/>	Area - units no. / rooms / m ²	<input type="text"/>

ACOUSTIC SYSTEMS

<input type="checkbox"/> Kitchen	<input type="checkbox"/> Bathroom	<input type="checkbox"/> Laundry	<input type="checkbox"/> Dining area
<input type="checkbox"/> Living area	<input type="checkbox"/> Bedroom	<input type="checkbox"/> Balcony	<input type="checkbox"/>
<input type="checkbox"/> Acoustibond	<input type="checkbox"/> Acoustiflor	Area - units no. / rooms / m ²	<input type="text"/>

CERAMIC TILE ADHESIVES

<input type="checkbox"/> Wall	<input type="checkbox"/> Floor	<input type="checkbox"/> Deck	<input type="checkbox"/> Balcony
<input type="checkbox"/> Facade	<input type="checkbox"/> Swimming pool	<input type="checkbox"/> Driveway	<input type="checkbox"/>

Primer

<input type="checkbox"/> Primebond	<input type="checkbox"/> Primax	<input type="checkbox"/> Epecrete
------------------------------------	---------------------------------	-----------------------------------

Adhesive

<input type="checkbox"/> Monoflex	<input type="checkbox"/> Gripflex	<input type="checkbox"/> Floor & Wall and Elastacrete
<input type="checkbox"/> Ultima	<input type="checkbox"/> Rapidfix	<input type="checkbox"/>

Grout

<input type="checkbox"/> Kemgrout Flexible	<input type="checkbox"/> Kemgrout Sanded	<input type="checkbox"/> EpegROUT	Colour	<input type="text"/>
Area - units no. / rooms / m ²			<input type="text"/>	

Representative

Date